	·	
	Application No.	Applicant(s)
Notice of Allowability	10/038,639 Examiner	SCHERER ET AL.
	Donald Heckenberg	1722
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RICO of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in this apport of the appropriate communication SHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to 16 March 2006.		·
2. The allowed claim(s) is/are <u>24-28,30-35,62,63 and 65-74</u> .		
3.	been received. been received in Application No uments have been received in this in f this communication to file a reply ENT of this application. ted. Note the attached EXAMINER's reason(s) why the oath or declarate be submitted. be submitted. Amendment / Comment or in the Comment or in the Comment or in the Comment according to 37 CFR 1.121(control of BIOLOGICAL MATERIAL in the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the control of BIOLOGICAL MATERIAL in the control of the cont	national stage application from the complying with the requirements S AMENDMENT or NOTICE OF tion is deficient. 948) attached office action of the back) of the complying with the front (not the back) of the complying application in the submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Dat 5), 7. ⊠ Examiner's Amendn	e <u></u> .

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Julie Daulton (Applicant's Representative) on 08 May 2006.

IN THE CLAIMS

Claim 64 has been cancelled.

2. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to teach or suggest a mold assembly for use in forming a concrete block as defined in the claims of the instant application. The closest prior art is disclosed by Bergeron et al. (U.S. Pat. No. 5,249,950), which was discussed in the previous Office Action.

Bergeron does not teach a second wall of the mold with a movably mounted converging side wall portion as recited in claims 24 and 65. Moreover, given the structure disclosed by

Art Unit: 1722

Bergeron as shown for example in Figure 4, there would not appear to be any reason or suggestion for the reference to be modified as such to comprise such a side wall portion, nor does it appear that the structure could be modified in such a manner without destroying other of the apparatus features.

Any comments considered necessary by Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald Heckenberg whose telephone number is (571) 272-1131. The examiner can normally be reached on Monday through Friday from 9:30 A.M. to 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra Gupta, can be reached at (571) 272-1316. The official fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval

Application/Control Number: 10/038,639

Art Unit: 1722

(PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at (866) 217-9197 (toll-free).

5-8-6

Page 4

Primary Examiner

A.U. 1722